

STEWARDSHIP PERMIT

TOWN OF WATERTOWN
WATERTOWN LANDFILL

OLD BAIRD ROAD
WATERTOWN, CT

EPA ID No. CTD991289398
Permit No. DEP/HWM/CS-153-011

SECTION I

Stewardship Permit
Standard Facility Conditions

TOWN OF WATERTOWN
WATERTOWN LANDFILL

EPA ID No. CTD991289398
Permit No. DEP/HWM/CS-153-011

Table of Contents
Section I – Standard Facility Conditions

Section	Title	Page
A.	Effect of Permit	1
B.	Severability	1
C.	Confidential Information	1
D.	Imminent Hazard Actions	1
E.	Duties and Requirements	
	1. Duty to Comply	2
	2. Duty to Reapply	2
	3. Obligation for Post-Closure Care and Corrective Action	2
	4. Need to Halt or Reduce Activity Not a Defense	2
	5. Duty to Mitigate	2
	6. Permit Actions	2
	7. Property Rights	2
	8. Duty to Provide Information	3
	9. Post Closure Maintenance	3
	10. Inspection and Entry	3
	11. Security	3
	12. Monitoring and Records	3
	13. Operating Record	4
	14. Signatory Requirements	4
	15. Transfers	4
	16. Reporting Requirements	5
	17. Computation of Time	6
	18. Availability, Retention and Disposition of Records	6
	19. Additional Requirements	7
	20. Federal, State and Local Law	7
	21. Modification of Compliance Schedule	7
	22. Delegation of Licensed Environmental Professional	7
F.	Definitions	9

**STEWARDSHIP PERMIT
SECTION I
STANDARD FACILITY CONDITIONS**

A. EFFECT OF PERMIT

Except as is provided in the Regulations of Connecticut State Agencies (“RCSA”) Section 22a-449(c)-110(a)(2) and except for any federally enforceable requirement(s), compliance with this Permit during its term constitutes compliance, for purposes of enforcement, with Connecticut General Statutes (“CGS”) Sections 22a-208a and 22a-449(c). This Permit may be modified, revoked and reissued, or terminated during its term as set forth in RCSA Section 22a-449(c)-110(a)(1), which incorporates by reference Title 40 of the Code of Federal Regulations (“40 CFR”) Parts 270.41, 270.42 and 270.43.

To fulfill requirements with both the Connecticut Solid Waste Management Regulations and Connecticut Hazardous Waste Management Regulations, the Permittee shall perform post-closure care inclusive of surface and groundwater monitoring, drinking water monitoring and corrective action in accordance with its application (Application No. 201000593) received by the Department of Environmental Protection (“Department”) on February 2, 2010, the requirements of Consent Order No. 172 issued on August 16, 2005 and the requirements of this Permit. In the event of a conflict between the Permittee’s application and the requirements of this Permit, the requirements of this Permit shall take precedence and apply.

The issuance of this Permit does not authorize any injury to persons or property or invasion of other private rights, or any infringement of federal, state or local law or regulations.

Term (Duration) - The effective date of this Permit is the date on which the Permit is signed by the Commissioner. This Permit is in effect for a term of ten (10) years and may be renewed at the end of the term, in accordance with the requirements described in Condition No. I.E.2., “Duty to Reapply.”

In accordance with 40 CFR 270.73(a), upon issuance of this Permit the Permittee’s Interim Status granted under Resource Conservation and Recovery Act (“RCRA”) is hereby terminated. In addition, upon the Commissioner’s determination that the Permittee has satisfied the requirements of this Permit, a Certificate of Completion shall be issued to the Permittee.

B. SEVERABILITY

The provisions of this Permit are severable, and if any provision of this Permit, or the application of any provision of this Permit to any circumstances is held invalid, the application of such provision to other circumstances and the remainder of this Permit shall not be affected thereby.

C. CONFIDENTIAL INFORMATION

The Permittee may claim that any information required to be submitted by this Permit contains or constitutes confidential information in accordance with CGS Section 1-210(b).

D. IMMINENT HAZARD ACTIONS

Notwithstanding any provision of this Permit, enforcement actions may be brought pursuant to Section 7003 of RCRA, CGS Section 22a-6, or any other applicable law.

E. DUTIES AND REQUIREMENTS

1. Duty to Comply. The Permittee shall comply with all conditions of this Permit except that the Permittee need not comply with the conditions of this Permit to the extent and for the duration such noncompliance is authorized in an Emergency Permit that explicitly authorizes any such noncompliance. Noncompliance by the Permittee with the terms of this Permit, except under the terms of an Emergency Permit, shall constitute a violation of this Permit and any applicable laws or regulations and is grounds for enforcement action, for Permit termination, revocation and reissuance or for denial of a Permit renewal. Emergency Permit as used herein shall mean Emergency Permit as identified in RCSA Section 22a-449(c)-110(a)(1) incorporating 40 CFR 270.61.

A violation of this Permit for purposes of state and federal law constitutes a violation of a RCRA Permit.

2. Duty to Reapply. This Permit shall expire ten (10) years after the effective date of this Permit. The Permittee shall renew this Permit if any activity required by this Permit has not been completed prior to the expiration date of this Permit. The Permittee shall apply for renewal of this Permit one hundred eighty (180) calendar days prior to the date of expiration of the Permit, in accordance with the requirements of RCSA Sections 22a-449(c)-104 and 22a-449(c)-110 incorporating 40 CFR 264.101 and 270.10(h) and any other applicable law.
3. Obligation for Post-Closure Care and Corrective Action. The Permittee is required to continue this Permit for any period necessary to comply with the post-closure care and corrective action requirements of this Permit.
4. Need to Halt or Reduce Activity Not a Defense. It shall not be a defense for a Permittee in an enforcement action that it would have been necessary to halt or reduce any activity authorized by this Permit in order to maintain compliance with the conditions of this Permit, unless otherwise required to do so by another state or federal authority.
5. Duty to Mitigate. In the event of noncompliance with this Permit, the Permittee shall take all reasonable steps to minimize releases to the environment, and shall carry out such measures as are reasonable to prevent its noncompliance from having significant adverse impacts on human health or the environment. No action taken by the Permittee pursuant to this section of this Permit shall affect or limit the Commissioner's authority under any other statute or regulation.
6. Permit Actions. This Permit may be modified, revoked and reissued, or terminated as provided for in 40 CFR 270.41, 270.42 or 270.43, and in accordance with all applicable law, including but not limited to, CGS Sections 22a-6g and 6h and RCSA Sections 22a-3a-5 and 22a-449(c)-110. The filing of a request by the Permittee for a Permit modification, revocation and reissuance, or termination, or a notification of planned changes or anticipated noncompliance, does not stay any condition of this Permit.
7. Property Rights. This Permit does not convey any property rights of any sort, or any exclusive privilege to the Permittee.

8. Duty to Provide Information. The Permittee shall furnish to the Commissioner, within a reasonable timeframe specified by the Commissioner, any information which the Commissioner may request to determine whether cause exists for modifying, revoking and reissuing, or terminating this Permit or to determine compliance with this Permit. The Permittee shall also furnish to the Commissioner, upon request, copies of records required to be kept by this Permit.
9. Post-Closure Maintenance. The Permittee shall at all times properly operate and maintain all facilities and systems of treatment and control (and related appurtenances) which are installed or used by the Permittee to achieve compliance with the conditions of this Permit. Proper operation and maintenance, at a minimum, includes effective performance, adequate funding, adequate operator staffing and training and adequate laboratory and process controls, including appropriate laboratory quality assurance procedures. This provision requires the operation of backup, auxiliary facilities or similar systems only when necessary to achieve compliance with the conditions of this Permit.
10. Inspection and Entry. The Permittee shall allow the Commissioner, or an authorized representative, upon the presentation of credentials and other documents as may be required by law to:
 - (a) Enter at reasonable times upon the Site where a regulated activity is located or conducted, or where records must be kept under the conditions of this Permit;
 - (b) Have access to and copy, at reasonable times, any records that shall be kept under the conditions of this Permit;
 - (c) Inspect at reasonable times any facilities, equipment (including monitoring and control equipment), practices, and operations regulated or required under this Permit; and
 - (d) Sample or monitor at reasonable times, for the purposes of assuring Permit compliance or as otherwise authorized by RCRA, any substance or parameters at any location.
11. Security. Pursuant to RCSA Section 22a-449(c)-104 incorporating 40 CFR 264.14, the Permittee shall prevent the unknowing entry, and minimize the possibility for unauthorized entry, of persons or livestock onto the active portion of the Facility. The Permittee shall secure the Facility to the extent necessary to protect human health.
12. Monitoring and Records.
 - (a) The Permittee shall ensure that samples and measurements taken for the purpose of monitoring are representative of the monitored activity.
 - (b) The Permittee shall retain records of all monitoring information, including all calibration and maintenance records copies of all reports required by this Permit (i.e. records from groundwater monitoring and groundwater surface elevations), the certification required by RCSA Section 22a-449(c)-104 incorporating 40 CFR 264.73(b)(9), and records of all data used to complete the application for this Permit, for the Post-Closure Period. This period may be extended by request of the Commissioner at any time.

- (c) Records for monitoring information shall include:
 - (i) The date, exact place and time of sampling or measurements;
 - (ii) The individual(s) or company who performed the sampling or measurements;
 - (iii) The date(s) analyses were performed;
 - (iv) The individual(s) or company who performed the analyses;
 - (v) The analytical techniques or methods used; and
 - (vi) The results of such analyses.

- 13. Operating Record. The Permittee shall maintain, in writing, the following information in the Facility's operating record until termination of this Permit:
 - (a) Records and results of inspections as required by this Permit, except this data need only be kept for three (3) years from the date of any such inspection;

 - (b) Monitoring, testing or analytical data, and corrective action where required by 40 CFR 264 Subpart F or any regulatory section noted in 40 CFR 264.73(b)(6);

 - (c) All post-closure and corrective action cost estimates, as applicable, under RCSA Sections 22a-209, 22a-449(c)-104 and 40 CFR 264.142 and 40 CFR 264 Subpart H; and

 - (d) Any other information required by this Permit or by any applicable law to be maintained in the Facility operating record.

- 14. Signatory Requirements. The Permittee's application and all reports or information submitted to the Commissioner by the Permittee pursuant to this Permit shall be signed by the person specified in and contain the certification prescribed in RCSA Section 22a-449(c)-110 incorporating 40 CFR 270.11.

- 15. Transfers. This Permit is not transferable to any person without the advanced written authorization of the Commissioner. The Commissioner may request any information deemed necessary regarding the potential transferee. Before any such transfer, the Permittee and any proposed transferee shall fully comply with the requirements of CGS Section 22a-60. The Commissioner may require modification or revocation and reissuance of this Permit to change the name of the Permittee and as an incident to any such transfer, incorporate such other requirements, as the Commissioner deems necessary.

In advance of transferring ownership or operation of its Facility prior to the termination of this Permit, the Permittee shall notify the prospective new owner or operator in writing of the requirements of this Permit, 40 CFR 264 through 270, and of the RCSA Section 22a-449(c)100 et. al. The Permittee shall provide such prospective new owner or operator with a copy of this Permit.

The Permittee's failure to notify the new Permittee of the requirements of this Permit in no way relieves the new Permittee of his obligations to comply with all applicable requirements.

If the transfer of the property takes place and the Permittee retains the Permit, an access agreement between the Permittee and the prospective new owners of the Facility shall be

approved by the Commissioner prior to the sale of the Facility/Site. The agreement shall include the anticipated times, locations and frequency of access needed in order for the Permittee to complete post-closure care and corrective action activities and conduct inspection, operation and management activities for all remedial systems. A copy of the Post Closure Plan, referenced in Condition No. II.A.1. of this Permit, shall be provided to the prospective new owner prior to transfer of the property.

16. Reporting Requirements.

- (a) Anticipated Non-Compliance. The Permittee shall give as much advance written notice as possible to the Commissioner of any planned changes in the Facility or activity, which may result in non-compliance with any requirement of this Permit.
- (b) Compliance Schedules. Except where otherwise provided for in this Permit, reports of compliance and non-compliance with, or any progress reports on, interim and final requirements contained in any Compliance Schedule (Section III) of this Permit, shall be submitted no later than fourteen (14) calendar days following each schedule date, to the extent such reports are required herein.
- (c) Twenty-four Hour Reporting.
- (i) The Permittee or designee shall orally report to the Commissioner any condition resulting from remedial activity or waste related activity at its Facility, irrespective of whether such activity is in compliance with the requirements of this Permit, which does or may pose an imminent and substantial endangerment to human health or the environment, immediately but not later than twenty-four (24) hours from the time the Permittee becomes aware or should be aware of the circumstances causing such endangerment.

The report to the Commissioner shall include:

- (A) Name, address, and telephone number of the Permittee;
- (B) Name, address, and telephone number of the Facility;
- (C) Date, time and type of incident;
- (D) Description of the occurrence and its cause;
- (E) Name and quantity of waste(s) or constituents thereof involved;
- (F) The extent of injuries, if any;
- (G) An assessment of actual or potential hazards to human health and the environment;
- (H) Estimated quantity and disposition of recovered waste that resulted from the incident;
- (I) All information concerning the release of any waste or constituents thereof that may cause an endangerment to public drinking water supplies; and
- (J) All information concerning a release or discharge of waste or constituents thereof or of a fire or explosion from the Facility, which could threaten human health or the environment
- (ii) A written submission shall also be provided within five (5) calendar days of the time the Permittee becomes aware of the circumstances described

in subdivision (i) above. The written submission shall contain a description of the endangerment and its cause; the period of endangerment including exact dates and times, if the endangerment has been abated, and if not, the anticipated time it is expected to continue; and steps taken or planned to reduce, eliminate, and prevent recurrence of the endangerment. The Permittee shall maintain in the operating record of its Facility a copy of all such written reports. The Commissioner may waive the five (5) day written notice requirement in favor of a written report within fifteen (15) days of the incident requiring reporting.

(iii) Nothing in this section shall effect or relieve the Permittee of its obligations under CGS Sections 22a-6u or 22a-450.

(d) Other Noncompliance. The Permittee shall report all instances of noncompliance with this Permit not otherwise required to be reported by this Permit to the Commissioner along with any other required monitoring report, no later than thirty (30) days from or after the date the Permittee is aware, or reasonably should have been aware of any such noncompliance. Any such report shall contain, at a minimum, the information listed in Condition No. I.E.16.(c)(i) of this Permit.

(e) Other Information. When the Permittee becomes aware that it failed to submit any relevant facts or information in a Permit application, or submitted incorrect information in a Permit application, report or other document provided to the Commissioner regarding this Permit, it shall submit such relevant facts or correct information to the Commissioner within thirty (30) calendar days of becoming aware of such facts or information.

17. Computation of Time.

(a) Except as is expressly provided for in this Permit, the computation of time periods set forth in this Permit shall be as follows:

- (i) Any time period scheduled to begin on the occurrence of an act or event shall begin on the day after the act or event.
- (ii) Any time period scheduled to begin before the occurrence of an act or event shall be computed so that the period ends on the day before the act or event.
- (iii) If the final day of any time period falls on a Saturday, Sunday or a federally or state recognized legal holiday or state mandated furlough day, the time period shall be extended to the next working day.

(b) Submission of Reports. Where this Permit requires the submission of a written report, a notification or other information or documentation to the Commissioner, the report or notification shall be deemed submitted on the date such report, notification or other information is received by the Department.

18. Availability, Retention and Disposition of Records. The Permittee shall ensure that all records required under RCSA Sections 22a-449(c)-100 to 119 et. seq. or this Permit, including all plans, are furnished upon request, and made available at all reasonable times

for inspection, by any officer, employee, or representative of the Department or the U.S. Environmental Protection Agency (“EPA”).

The retention period for all records required under RCSA Sections 22a-449(c)-100 to 119 and this Permit is extended automatically during the course of any unresolved enforcement action regarding the Facility or as requested by the Commissioner or Regional Administrator of EPA.

19. Additional Requirements. Requirements not included in this Permit, which become effective by statute or regulation, and not made specifically inapplicable to facilities with a Permit, shall apply to the Permittee's Facility. In the event of any conflict between this Permit and any such requirement, the Permittee shall comply with the more stringent requirement. If the Permittee does not fully comply with the more stringent requirement, the Department may enforce either requirement.
20. Federal, State and Local Laws. Nothing in this Permit shall be construed to prohibit any federal, state or political subdivision thereof from imposing any requirements to the extent authorized by law which are more stringent than those imposed by this Permit. In addition, nothing in the Permit shall relieve the Permittee of its obligation to comply with any other applicable federal, state, or local statute, regulation or ordinance.
21. Modification of the Compliance Schedule.
 - (a) The Permittee may request to modify the submittal due dates of the Compliance Schedule (Section III) of this Permit at any time. Such requests shall be submitted for the Commissioner's review and written approval and shall include sufficient justification for such request(s).
 - (b) The Commissioner may grant extensions of submittal due dates based on the Permittee's demonstration that sufficient justification for the extension exists. Extensions to due dates, which this Permit explicitly defines as being due by a certain time or during a certain time interval, may be granted by the Commissioner if sufficient justification for the extension is demonstrated by the Permittee.
22. Delegation of Licensed Environmental Professional.
 - (a) Pursuant to RCSA Section 22a-133v, a licensed environmental professional (“LEP”) may verify that site-wide environmental investigation has been performed in accordance with prevailing standards and guidelines and remediation activities have addressed any and all requirements of the Commissioner and have achieved compliance with the Remediation Standard Regulations.
 - (b) The LEP shall submit the Final report for site-wide corrective action for the Commissioner's review and written approval in conjunction with the submission of the verification.
 - (c) In the event the Commissioner revokes the delegation of site-wide investigation and oversight of site-wide corrective action, the Permittee shall ensure all reports and documents required by this Permit are submitted for the Commissioner's review and written approval within the timeframes specified.

- (d) The Permittee shall notify the Commissioner in writing of the identity of any LEP other than the one approved by the Commissioner, within ten (10) calendar days after assigning or retaining any LEP for the purpose of addressing the actions required by this Permit. The Permittee shall submit to the Commissioner a description of the assigned LEP's education, experience and training which is relevant to the work required by this Permit within ten (10) calendar days after a request for such a description has been made. Nothing in this paragraph shall preclude the Commissioner from finding a previously acceptable LEP unacceptable.

F. DEFINITIONS

Any term not otherwise defined herein shall be defined as that term is defined in RCSA 22a-449(c)-100 thru 119 incorporating 40 CFR 264 through 279.

1. "Annual" means that sampling and analysis shall occur no later than December 31st of the calendar year. The results of such sampling and analysis shall be submitted to the Commissioner no later than March 1st of the subsequent year.
2. "CFR" means the Code of Federal Regulations in effect on the date that this Permit is issued.
3. "Commissioner" means the Commissioner of Environmental Protection as defined in CGS Section 22a-2 or the Commissioner's duly authorized designee.
4. "Facility" shall mean, pursuant to 40 CFR 260.10, all contiguous land, structures, other appurtenances, and improvements on the land, used for treating, storing or disposing of hazardous and solid waste and all contiguous property under control of the owner or operator.

For the purposes of this Permit, Facility shall mean the 23.5-acre parcel of land located on Old Baird Road in Watertown, CT and subject to the requirements of this Permit.

5. "Hazardous Waste" or "Hazardous Wastes" shall mean hazardous waste as identified or listed as hazardous waste pursuant to 42 U.S.C. Section 6901 et. seq. and Section 22a-449(c)-101 of the RCSA.
6. "Land Disposal Units" shall mean for the purposes of this Permit the "Metal Hydroxide Sludge Cell Area" and the Municipal Solid Waste Area" as defined in this Permit.
7. "Metal Hydroxide Sludge Cell Area" means the <1-acre area located along the western border of the Municipal Solid Waste Area that was used for the disposal of hazardous wastes (EPA hazardous waste codes K063 and F006) from local industries.
8. "Municipal Solid Waste Area" means the approximately 13-acre area located in the central portion of the Facility, and west of Old Baird Road that was used by the Town of Watertown for the disposal of municipal solid wastes.
9. "Period of Active Remediation" shall mean the period of time prior to the completion of remedial activity conducted pursuant to this Permit, with the exception of that period when the only remaining activity is post-remediation monitoring and monitored natural attenuation.
10. "Permittee" shall mean the person responsible for the overall operation of the Facility who has been issued a license by the Commissioner. As used herein "person" is defined in Section 22a-2(c), Chapter 439k, of the CGS and "license" is defined in Section 4-166, Chapter 54 of the CGS.

11. "Post-Closure Period" means a minimum of thirty (30) years from the date of certification of closure of the Metal Hydroxide Sludge Cell. This period shall be extended or shortened by the Commissioner in accordance with 40 CFR 264.117(a)(2).

For the purposes of this Permit, the start date of the post-closure period is June 12, 1996.

Please note: For sites in which waste will remain in place, the post-closure period shall be extended at the Commissioner's discretion. In the event the waste is removed, an alternate post-closure period may be approved by the Commissioner.

12. "Quarterly" means that sampling and analysis shall occur once every three (3) consecutive months in a calendar year (i.e. January, April, July, and October). The results of the sampling and analysis shall be submitted to the Commissioner within sixty (60) calendar days of the date of sampling.
13. "Semi-annual" means that sampling and analysis shall occur during the months of April and October each calendar year. The results of the sampling and analysis shall be submitted to the Commissioner within sixty (60) calendar days of the date of sampling.
14. "Site" means the same or geographically contiguous property which may be divided by public and private right-of-way, provided the entrance and exit between the properties is at a cross-road intersection, and access is by crossing opposed to going along, the right-of-way. Non-contiguous properties owned by the same person but connected by a right-of-way that he controls and to which the public does not have access, is also considered part of the Site property. For the purposes of this Permit, the terms "Facility" and "Site" may be used interchangeably in this Permit.

Watertown Landfill
Old Baird Road
Watertown, CT

EPA ID No. CTD991289398
Permit No. DEP/HWM/CS-153-011

SECTION II

Stewardship Permit
Authorized Activities

TOWN OF WATERTOWN
WATERTOWN LANDFILL

EPA ID No. CTD991289398
Permit No. DEP/HWM/CS-153-011

Table of Contents
Section II – Authorized Activities

Section	Title	Page
A.	Facility Post-Closure Care Requirements	
1.	Post-Closure Care Plan.....	11
2.	Revised Post-Closure Care Plan	11
3.	Modifications to Approved Post-Closure Care Plan.....	11
4.	Copy of Post-Closure Care Plan	12
5.	Completion of Post-Closure Plan	12
6.	Ecological Risk Assessment	12
7.	Notification Requirements for Newly Discovered Releases .	12
8.	Inspections	12
9.	Maintenance of Final Cover	13
10.	Public Participation Plan	13
11.	Public Notice Requirements	14
B.	Water Quality Monitoring Requirements	
1.	Water Quality Monitoring Plan	16
2.	Revised Water Quality Monitoring Plan	16
3.	Modifications to Approved Water Quality Monitoring Plan	16
4.	Copy of Approved Water Quality Monitoring Plan	16
5.	Proper Operation and Maintenance	16
6.	Quality Assurance Project Plan	16
7.	Monitoring Frequency for Surface and Ground Waters	16
8.	Water Quality of Drinking Water Wells	17
9.	Drinking Water Supply	17
10.	Sampling of Drinking Water Wells	19
11.	Termination of Drinking Water Well Monitoring	20
12.	Reimbursement of Costs Incurred.....	20
13.	Future Corrective Action	21
14.	Completion of Water Quality Monitoring	21
C.	Financial Responsibility	
1.	Cost Estimates.....	22
2.	Establishment of Financial Assurance.....	22
3.	Inflationary Adjustments.....	22
4.	Periodic Reductions.....	22
5.	Maintenance of Financial Assurance.....	22
6.	Release of Financial Assurance.....	22
7.	Failure to Perform.....	23
D.	Miscellaneous	25
<hr/> <u>Appendices</u>		
A-1	Post-Closure Care Plan	
B-1	Groundwater Monitoring Plan	

SECTION II AUTHORIZED ACTIVITIES

A. FACILITY POST-CLOSURE REQUIREMENTS

1. Post Closure Care Plan. The Permittee shall perform post-closure care of the Land Disposal Units as specified in the Post-Closure Care Plan, included in the application and as Appendix A-1 of this Permit; until it is superseded by the approval of a revised Post-Closure Care Plan submitted pursuant to Condition No. II.A.2. of this Permit (herein after, the “approved Post-Closure Care Plan”).

The Permittee shall complete all post closure care of the Land Disposal Units in accordance with the approved Post-Closure Care Plan.

2. Revised Post-Closure Care Plan. The Permittee shall prepare and submit for the Commissioner’s review and written approval a revised post-closure care plan for the Land Disposal Units developed in accordance with the requirements set forth in RCSA Section 22a-209-13 and 40 CFR 264 Subparts F, G and N. The revised post-closure care plan shall include:
 - (a) A description and frequency of the planned maintenance and inspection activities that will be performed to ensure: (A) the integrity of the cap/final cover and/or other containment systems; and (B) the function of the monitoring equipment;
 - (b) A compliance monitoring program developed in accordance with the requirements of RCSA Section 22a-449(c)-104 incorporating 40 CFR 264.99, and an evaluation of the existing monitoring data to determine if compliance is achievable;
 - (c) If it is determined that compliance cannot be achieved the Permittee shall include a description of how corrective action, required pursuant to 40 CFR 264.100, will be interrelated into site-wide corrective activities.
 - (d) The name, address and phone number of the Facility contact person during the Post-Closure Care Period;
 - (e) A schedule for the reporting requirements, including but not limited to, groundwater monitoring reports, scheduled and unscheduled inspection and maintenance reports, and corrective action reports resulting from inspection and maintenance activities; and
 - (f) A detailed estimate of the cost of performing post-closure care of the Land Disposal Units developed in accordance with the 40 CFR 265 Subpart H.
3. Modifications to Approved Post-Closure Care Plan. The Permittee shall submit a written notification or request for a permit modification to authorize a change in the approved Post-Closure Care Plan in accordance with the applicable requirements of 40 CFR 124 and 40 CFR 270. The written notification or request must include a copy of the amended post-closure care plan for the Commissioner’s review and written approval.

4. Copy of Post-Closure Care Plan. The Permittee shall ensure that a copy of the approved Post-Closure Care Plan is kept at Town of Watertown Public Works Department or at an alternate location acceptable to the Commissioner, until the Post-Closure Period has been completed and certified in accordance with the requirements of this Permit.
5. Completion of Post-Closure Period.
 - (a) The Permittee shall notify the Commissioner in writing two (2) calendar years prior to the anticipated end date of the Post-Closure Period for the Municipal Solid Waste Area.
 - (b) Within sixty (60) calendar days after the completion of the Post-Closure Period, the Permittee shall submit to the Commissioner by registered mail, a certification signed by both the Permittee and by a licensed environmental professional or a independent registered professional engineer stating that the post-closure care for the Land Disposal Units, was performed in accordance with the specifications in the approved Post-Closure Care Plan. Documentation supporting the independent, registered professional engineer's or licensed environmental professional's certification shall be furnished to the Commissioner upon request.
6. Ecological Risk Assessment. Pursuant to RCSA Section 22a-133k-2(i), the Permittee shall prepare and submit for the Commissioner's review and written approval a Screening Level Ecological Risk Assessment evaluating the potential for ecological receptors to be exposed to contaminants and to ensure that any remedial goals and objectives address protection for those receptors from existing or potential contaminant exposures.
7. Notification Requirements for Newly Discovered Releases.
 - (a) The Permittee shall notify the Commissioner in writing of any newly discovered release(s) of solid or hazardous waste or hazardous waste constituents discovered during the course of post-closure care, groundwater monitoring, environmental audits, or other means, within fifteen (15) calendar days of the date of discovery.
 - (b) If the Commissioner determines that further investigation of the Site is needed, the Permittee shall be required to prepare a plan for further investigation within sixty (60) calendar days of notification by the Commissioner.
8. Inspections.
 - (a) The Permittee shall inspect the Land Disposal Units for malfunctions, deterioration, and discharges, which may lead to any release of hazardous or solid wastes. The Permittee shall remedy any deterioration which an inspection reveals, to ensure that the problem does not lead to an environmental hazard. Where a hazard is imminent or has already occurred, remedial action shall be taken immediately.
 - (b) The Permittee shall ensure inspections are performed on a quarterly basis either by or under the direction of a registered professional engineer or a licensed environmental professional. Such inspections shall include, but not be limited to:
 - (i) Odors and dust control;
 - (ii) Conditions of the access road;
 - (iii) Erosion, settling, subsidence or other events that may affect the grading;
 - (iv) Integrity of the final cover soils and vegetation;

- (v) Drainage control;
 - (vi) Leachate seeps; and
 - (vii) Groundwater monitoring systems.
- (c) The Permittee shall record all inspections in an inspection log. The inspection logs shall include: the date and time of the inspection, the name of the inspector and company or affiliation, a notation of the observations made, and the date and nature of any repairs. Such records shall be kept for at least three (3) years from the date of inspection or for longer if a more stringent condition applies, and maintained in either an electronic format with a copy available to the Commissioner upon request, or a written copy in the Facility's Operating Record.
9. Maintenance of Final Cover. The Permittee shall ensure that the final cover for the Land Disposal Units is properly maintained and repaired when necessary in accordance with the approved Post-Closure Care Plan. Proper maintenance shall include, but not be limited to, ensuring that:
- (a) Established vegetation is cut to the proper length to ensure that the root depth is less than six (6) inches for the Metal Hydroxide Sludge Cell Area.
 - (b) For areas in which erosion has occurred, the lost material shall be replaced and the area re-seeded; and
 - (c) Obstructions to the drainage structures are removed and properly disposed.
10. Public Participation Plan. The Permittee shall prepare and submit for the Commissioner's review and written approval a Public Participation Plan. Such plan shall include:
- (a) The development of a site mailing list that at a minimum includes: the Chief Elected Official, Town Manager, the Director of Health, the Fire Chief, and Planning and Zoning Department for the Town of Watertown; the State Representative(s) and Senator(s) that represent the Town of Watertown; and the property owners identified in Condition No. II.B.10.(b) and (c).
 - (b) A provision for notifying the owners and/or occupants of the properties identified below at least thirty (30) calendar days prior to the start or completion of remediation work or when there is a significant change in the environmental conditions of the Site or area(s) potentially affected by the Site. Such properties are:
 - 696 Hamilton Avenue, Watertown, CT 06795
 - 399 Artillery Road, Watertown, CT 06795
 - 1 Short Road, Watertown, CT 06795
 - 545 Artillery Road, Watertown, CT 06795
 - 521 Artillery Road, Watertown, CT 06795
 - 531 Artillery Road, Watertown, CT 06795
 - 592 Hamilton Avenue, Watertown, CT 06795
 - 589 Hamilton Avenue, Watertown, CT 06795
 - 39 Mohican Road, Watertown, CT 06795
 - 175 Cayuga Drive, Watertown, CT 06795
 - 32 Old Baird Road, Watertown, CT 06795
 - 562 Hamilton Avenue, Watertown, CT 06795

- (c) A provision for notifying the owners and/or occupants of any additional properties identified by the US EPA or the Department to be within the area in which the ground waters can reasonably be expected to become polluted as the result of any pollution emanating from the Site;
- (d) A proposal for the provision of semi-annual written updates via a letter or newsletter or any other means to the site mailing list regarding the status of corrective action at the site and areas affected by the Site;
- (e) A public notice prior to the start of or completion of remedial activities or the completion of post-closure care of the Land Disposal Units inclusive of surface and groundwater monitoring and drinking water well monitoring at the Site or area affected by the Site or any portion thereof consistent with Condition No. II.A.11. of this Permit and the requirements of CGS Section 22a-134a(i);
- (f) The submittal of a copy of such notice to the Commissioner ten (10) calendar days prior to the date of the publication; and
- (g) The submittal of a written summary of all comments received and responses thirty (30) calendar days after the end of the comment period.

The Permittee shall submit a revised public participation plan sixty (60) calendar days after any installment of any future remedial system of treatment and control, or any significant change in site conditions

The Commissioner shall review the summary of the comments and the Permittee's responses and shall either: adopt the responses, adopt the responses with modifications, or reject the responses and prepare a response to each comment.

In the event of substantial changes in the remedial or post-closure care approach, the Commissioner may require an additional opportunity for public comment with respect to such changes.

11. Public Notice Requirements. The Permittee shall provide public notice of any proposed remediation and the Commissioner's tentative determination that remediation and/or post-closure care of the Land Disposal Units inclusive of surface and groundwater monitoring and drinking water monitoring is complete. Each public notice must provide a forty-five (45) calendar day comment period and a public information meeting no earlier than thirty (30) calendar days from the date of the public notice and no later than forty five (45) calendar days after the public notice.

- (a) Prior to the commencement of any proposed remedial action, the public notice shall summarize the investigations undertaken, the results of the investigations, clearly identify the proposed remedial activities, and include an address and telephone number for a contact person. The Permittee shall:
 - (i) Publish the notice in a newspaper having substantial circulation in the municipality in which the Site or the affected area is located;

- (ii) Broadcast the notice on a radio station during the high volume listening times on the same day the notice is published;
 - (iii) Provide a copy of the notice to the Chief Elected Official, Town Manager and the Director of Health of the municipality where the Site or affected area is located;
 - (iv) Provide a copy of the notice to the owner or operator of the Site (if the Permittee is not the Site owner or operator) and to all persons on the Facility mailing list maintained pursuant to 40 CFR 124.10(c)(1)(ix); and
 - (v) Erect and maintain a sign at least six (6) feet by four (4) feet for at least thirty (30) calendar days in a legible condition at the Site, clearly visible from the public highway and including the words “ENVIRONMENTAL CLEAN-UP IN PROGRESS AT THIS SITE. FOR FURTHER INFORMATION CONTACT:”, and a telephone number at which any interested person may obtain additional information about the remediation.
- (b) Prior to the Commissioner’s final determination that remediation and/or post-closure care inclusive of groundwater monitoring is complete, the Permittee shall:
- (i) Publish the notice in a newspaper having substantial circulation in the municipality in which the Site or the affected area is located;
 - (ii) Broadcast the notice on a radio station during the high volume listening times on the same day the notice is published;
 - (iii) Provide a copy of the notice to the owner or operator of the Site (if the Permittee is not the Site owner or operator) and to all persons on the Facility mailing list maintained pursuant to 40 CFR 124.10(c)(1)(ix); and
 - (iv) Include a summary of the basis for the Commissioner’s determination.
- (c) Upon the completion of the public comment period the Commissioner shall make a final determination. If the final determination is that post-closure care and/or remediation is complete then the Stewardship Permit will be terminated and a Certificate of Completion will be issued.

B. WATER QUALITY MONITORING REQUIREMENTS

1. Water Quality Monitoring Plan. The Permittee shall perform surface and groundwater monitoring in accordance with the Groundwater Monitoring Plan, included in the application and as Appendix B-1 of this Permit; until it is superseded by the approval of a revised Water Quality Monitoring Plan submitted pursuant to Condition No. II.B.2. of this Permit. Herein after, the “approved Water Quality Monitoring Plan”.

The Permittee shall complete all surface and groundwater monitoring in accordance with the approved Water Quality Monitoring Plan.

2. Revised Water Quality Monitoring Plan.
If at any time the Commissioner or the Permittee determines that a revision to the Water Quality Monitoring Plan is needed or required, the Permittee shall prepare and submit for the Commissioner’s review and written approval a revised water quality monitoring plan for the Site developed in accordance with the requirements set forth in 40 CFR 264 Subpart F and incorporates the monitoring of surface water and drinking water wells.
3. Modifications to Approved Water Quality Monitoring Plan. The Permittee shall submit a written notification or request for a permit modification to authorize a change in the approved Water Quality Monitoring Plan in accordance with the applicable requirements of 40 CFR 124 and 270. The written notification or request must include a copy of the amended water quality monitoring plan for the Commissioner’s review and written approval.
4. Copy of Approved Water Quality Monitoring Plan. The Permittee shall ensure that a copy of the approved Water Quality Monitoring Plan is kept at Town of Watertown Public Works Department or at an alternate location acceptable to the Commissioner, until the surface and groundwater monitoring has been completed and certified in accordance with the requirements of this Permit.
5. Proper Operation and Maintenance. The Permittee shall at all times properly operate and maintain all monitoring wells which are installed or used by the Permittee to achieve compliance with this Permit. Proper maintenance, at a minimum, includes inspections to detect existing and potential problems and adequate funding to maintain proper conditions and repair any problems at the Site.
6. Quality Assurance Project Plan. The Permittee shall prepare and submit for the Commissioner’s review and written approval a Quality Assurance Project plan (“QAPP”), prepared in accordance with the document titled: *Quality Assurance Guidance for Conducting Brownfields Site Assessments*, US Environmental Protection Agency OSWER Directive No. 9230.0-83P, and incorporating Connecticut’s Reasonable Confidence Protocols. The Permittee shall ensure that the data is of sufficient quality to make decisions regarding investigation, potential remediation, and monitoring of the Site.
7. Monitoring Frequency for Surface and Groundwaters. The Permittee shall perform surface and groundwater monitoring on a quarterly basis. Upon the Commissioner’s written approval of the revised Water Quality Monitoring Plan, submitted pursuant to Condition No. II.B.2., the Permittee shall perform the surface and groundwater

monitoring in accordance with the frequency specified in the approved Water Quality Monitoring Plan.

8. Water Quality of Drinking Water Wells

The Permittee has submitted for the Commissioner and the Commissioner of Public Health's review and written approval an engineering report titled "Groundwater Impact Evaluation and Water Supply Alternative Analysis" dated August 2006 ("Water Supply Plan") which describes in detail:

- (a) The problem area and population affected by the pollution of groundwaters from the Land Disposal Units;
- (b) An estimate of the expected duration and extents of impacts of the groundwaters from the Land Disposal Units;
- (c) All alternatives and design criteria for all alternatives for the long-term water supply treatment systems or alternative supply to be provided
- (d) A program sufficient to adequately operate, maintain and monitor each described water supply treatment system or alternative supply for the duration of the pollution;
- (e) Estimates of the cost and a schedule for constructing or installing each alternative and the annual cost of each operation, maintenance and monitoring program; and
- (f) The public participation program.

If the extension of a public water supply system is an alternative, the plan must: reflect input from affected properties; describe how reimbursement of affected properties for the cost of water supply services will be addressed; and how any such reimbursement will be affected by Special Benefit Assessments related to such water supply extension under CGS Section 7-137c.

9. Drinking Water Supply. The Permittee shall provide a short-term and a long-term drinking water supply in accordance with the requirements of Condition No. II.B.9.(a) and (b) to each property the Commissioner determines has been affected by landfill leachate ("the affected properties"). This determination will be based on a review of the test results for indicators of landfill leachate of groundwater samples collected, from drinking water wells located potentially down gradient from the Land Disposal Units and potentially down gradient from the affected wetlands as performed under the receptor study. This determination will also be based on review of the groundwater monitoring results. All drinking water wells must be sampled within forty five (45) days of the initiation of the drinking water wells monitoring program.

- (a) The Permittee shall provide short-term potable drinking water to the affected properties in accordance with the following:
 - (i) Within twenty-four (24) hours after notification by the Commissioner that the affected property is required to receive bottled water or within twenty-four (24) hours after an exceedance is confirmed pursuant to Condition No. II.B.10., whichever is earlier, the Permittee shall provide one (1) gallon per person per day of bottled water to the persons served by wells which have been polluted by leachate from the landfill, or which can reasonably be expected to become polluted.
Bottled water shall be delivered on a regular basis by a company licensed to bottle water by the State of Connecticut until potable water is provided

pursuant to II.B.9.(a)(ii) or long term potable water supply is provided pursuant to II.B.9.(b).

- (ii) The Permittee shall provide water treatment systems and any pretreatment systems which the Commissioner determines are necessary for each affected property within two (2) weeks after notification from the Commissioner or within two (2) weeks after an exceedance is confirmed pursuant to Condition No. II.B.10., whichever is earlier. The Permittee shall install, monitor and maintain such systems and any pretreatment systems as directed by the Commissioner, until the long-term supply of potable drinking water is provided in accordance with Condition No. II.B.9.(b).
 - (iii) The Permittee shall monitor and maintain any water treatment system and any pretreatment system, which the Commissioner or the Permittee has provided to the affected properties until the long-term supply of potable drinking water is provided in accordance with Condition No. II.B.9.(b).
 - (iv) On or before five (5) days after the Permittee begins to provide potable drinking water to any additional affected property pursuant to Condition No. II.B.10.(b), the Permittee shall submit written certification to the Commissioner that the provision for potable drinking water has begun.
- (b) The Permittee shall provide long-term potable drinking water to the affected properties in accordance with the following:
- (i) On or before thirty (30) days after the Commissioner notifies the Permittee of the properties which are indicated, by either the Water Quality Monitoring Plan or the receptor study, to be within an area where there is the potential for pollution of the groundwater from the landfill, the Permittee shall submit for the review and written approval of the Commissioner and the Commissioner of Public Health a revision to the Water Supply Plan which includes for all such properties.
 - (ii) On or before one hundred twenty (120) days after the exceedance of any current action level or drinking water standard for any indicator of landfill leachate, or any other substance the presence of which is the result of pollution from the landfill which the Commissioner of Public Health determines creates or can reasonably be expected to create an unacceptable risk to health or safety of persons using such waters for drinking or other personal or domestic uses is confirmed, the Permittee shall submit for the Commissioner and the Commissioner of Public Health a revision to the Water Supply Plan which includes for all such properties the information required by Condition No. II.B.8. of this Permit.
 - (iii) Upon review of the Water Supply Plan and any revision of the report required by Condition Nos. II.B.9.(b)(i) and (ii), the Commissioner and Commissioner of Public Health shall consider: the nature of the

pollution; the expected duration and extent of the pollution; the health and safety of the persons affected; the initial and ongoing cost-effectiveness and reliability of each alternative for the provision of potable drinking water; and any other factors which they deem relevant and shall approve a system or method to provide potable drinking water.

- (iv) On or before one hundred twenty (120) days after the approval by the Commissioner and Commissioner of Public Health under Condition No. II.B.9.(b)(iii) of the treatment system or alternative supply, the Permittee shall submit for the review and written approval of the Commissioner and Commissioner of Public Health contract plans and specification for the approved water supply treatment system or alternative supply and a schedule for constructing or installing the approved treatment system or alternate supply.
- (v) The Permittee shall construct or install the approved alternative supply or water supply treatment system in accordance with the approved schedule.
- (vi) The Permittee shall operate, maintain and monitor the approved treatment system or alternative supply in accordance with the Water Supply Plan and any revisions thereto required by this Permit.

10. Sampling of Drinking Water Wells.

- (a) Any drinking water well which is monitored for indicators of landfill leachate, which exceeds a level which the Commissioner of Public Health has determined, as of the time of the most recent sampling, creates or can reasonably be expected to create an unacceptable risk to the health or safety of persons using such waters for drinking or other personal or domestic uses, shall be resampled within five (5) days of the Permittee's receipt of sample results.
- (b) If an exceedance of a then current action level is confirmed, the Permittee shall provide for short-term and long-term potable drinking water in accordance with Condition No. II.B.9. of this Permit.
- (c) If a retest does not confirm the exceedance of such action level, a third sample shall be taken within five (5) days of the Permittee's receipt of sample results, and if two or more tests show that such level is exceeded, the Permittee shall provide short-term and long-term potable drinking water in accordance with Condition Nos. II.B.9. of this Permit.
- (d) The Permittee shall perform drinking water well monitoring on a quarterly basis for a minimum of two (2) years starting August 29, 2005. If a concentration value of 50% of the then current action level for any indicator of landfill leachate (provided that concentration is not due to naturally occurring background) is not exceeded at any time during four consecutive quarterly sampling periods, the Permittee may request that the frequency be reduced to a semi-annual basis.
- (e) Once approval is granted to reduce the drinking water well monitoring pursuant to Condition No. II.B.10.(d), the Permittee shall perform semi-annual monitoring

for a minimum period of three (3) years. If a concentration value of 50% of the then current action level of any indicator of landfill leachate is not exceeded during the three years, monitoring for the particular supply may be terminated upon written approval of the Commissioner. The Commissioner will not grant such approval if it is determined that the pollution for which the Permittee is responsible can still reasonably be expected to affect the particular water supply.

- (f) If a concentration value of 50% of the then current action level for any indicators of landfill leachate is exceeded, quarterly monitoring and thereafter semi-annual monitoring shall be re-instituted in accordance with the requirements of Condition No. II.B.7.(b)(i) and (ii) unless the then current action level for any indicators of landfill leachate is exceeded in which case the supply shall be monitored and further actions taken in accordance with the requirements of this Permit.
- (g) For all drinking water wells identified by the Water Supply Plan required by Condition No. II.B.8.(a) of this Permit to be monitored for all indicators of landfill leachate the Permittee shall perform such drinking water well monitoring in accordance with Condition No. II.B.10. of this Permit.
- (h) Within thirty (30) days after notification by the Commissioner that additional properties are within an area the groundwaters of which can reasonably be expected to become polluted as a result of the Permittee's activities, The Permittee shall monitor the water supplies of those properties for the indicators of leachate in accordance with Condition No. II.B.10. unless otherwise approved in writing by the Commissioner.

11. Termination of Drinking Water Well Monitoring. Potable drinking water shall be provided to any affected property owner for the duration of pollution of the ground waters. If potable drinking water is provided to any property by any means other than by connection to a public water supply system, provision of potable drinking water may be terminated, with the prior written approval of the Commissioner when a minimum of one year's worth of sample results of the raw influent ground waters indicate that 50% of the then current action level for all indicators of landfill leachate has not been exceeded. Any particular supply meeting the criteria expressed in this condition shall be monitored quarterly in accordance with Condition No. II.B.10 of this Permit. Such monitoring may be reduced in frequency and terminated in accordance with Condition No. II.B.10. of this Permit, or other frequency approved in writing by the Commissioner.
12. Reimbursement of Costs Incurred. The Permittee is responsible to reimburse the State for all expenses it incurs in providing potable drinking water, in accordance with CGS Sections 22a-471(b)(4)(B) and 22a-451. Such reimbursement shall be made in accordance with procedures and a time schedule specified by the Commissioner in writing. If no such procedures and schedule are specified, payment shall be mailed or personally delivered to DEP, Bureau of Materials Management and Compliance Assurance, Cost recovery program, 79 Elm Street, Hartford, CT 06106-5127, within one hundred eighty (180) days of the date of the mailing of such notice and shall be by certified check payable to "Treasurer, State of Connecticut D.E.P."

13. Future Corrective Action. If the Commissioner determines that the surface and groundwater monitoring data indicates the soil and/or groundwater remediation was not effective, the Permittee shall within one hundred eighty (180) days of the Commissioner's notice, submit for the Commissioner's review and written approval, a plan for additional soil and groundwater characterization and establishment of a corrective action program consistent with the objectives of 40 CFR 264.100.

14. Completion of Water Quality Monitoring. Within sixty (60) calendar days after the completion of surface and groundwater monitoring (i.e. the end of the Post-Closure Period), the Permittee shall submit to the Commissioner by registered mail, a certification signed by both the Permittee and by a licensed environmental professional or a registered professional engineer stating that the surface and groundwater monitoring for the Site was performed in accordance with the specifications in the approved Water Quality Monitoring Plan. Documentation supporting the independent, licensed environmental professional or registered professional engineer's certification shall be furnished to the Commissioner upon request.

C. FINANCIAL RESPONSIBILITY

1. Cost Estimates. The Permittee shall submit for the Commissioner's review and written approval written estimate(s) of the cost of performing post-closure care of the Land Disposal Units inclusive of surface and groundwater monitoring for the Post-Closure Period and site-wide environmental investigation and remediation in accordance with the requirements of this Permit. The Permittee shall ensure that such written estimates are prepared in accordance with the methodology specified in RCSA 22a-449(c)-104 incorporating 40 CFR 264.142(a) and 40 CFR 264.144(a), as applicable. Note: a fifteen percent (15%) contingency shall be applied to the estimates for unforeseeable elements or events which may increase the cost of performing post-closure care and corrective action.
2. Establishment of Financial Assurance. The Permittee shall establish and continually maintain financial assurance using one or more of the instrument formats prescribed by the Commissioner for the post-closure care of the Land Disposal Units and investigation and remediation of the Site or areas affected by the Site .
3. Inflationary Adjustments. The Permittee shall adjust amounts of financial assurance to reflect inflationary costs as required by RCSA Section 22a-449(c)-104 incorporating 40 CFR 264.142, and any factors that bear on the cost of performing the work that remains to be completed under this Permit. Adjustments shall be made each year, on the anniversary of the establishment of the mechanism(s) for financial assurance until the Commissioner releases the Permittee from the financial assurance requirements of this Permit.

The latest adjusted cost estimate(s) shall be kept at the Facility and a signed original shall be submitted to the Commissioner within fourteen (14) calendar days of preparation.

4. Periodic Reductions. Upon request by the Permittee, the Commissioner may approve periodic reductions in the amount of financial assurance commensurate with the completion of corrective action activities. Such request shall include a revised cost estimate and demonstration of completed work activities which equates to at least a fifteen percent (15%) reduction in the estimate costs.
5. Maintenance of Financial Assurance. The Permittee shall maintain such financial assurances in effect until the Commissioner notifies the Permittee in writing that it is no longer required to maintain such a mechanism for financial assurances as provided for in Condition No II.D.6. of this Permit.
6. Release of Financial Assurance.
 - (a) Within sixty (60) calendar days after receiving the certification, submitted pursuant to Condition No. II.A.5., that post-closure care of the Land Disposal Units has been completed in accordance with the approved Post-Closure Care Plan, the Commissioner will notify the Permittee in writing that it is no longer required to maintain financial assurance for post-closure care of the Land Disposal Units, unless the Commissioner has reason to believe that post-closure care has not been performed and/or completed in accordance with the approved Post-Closure Care Plan. The Commissioner shall provide the Permittee with a detailed written statement of any such reason(s) to believe that post-closure care

has not been performed and/or completed in accordance with the approved Post-Closure Care Plan.

- (b) Within sixty (60) calendar days after receiving the certification, submitted pursuant to Condition No. II.B.14., that water quality monitoring of the Site has been completed in accordance with the approved Water Quality Monitoring Plan, the Commissioner will notify the Permittee in writing that it is no longer required to maintain financial assurance for water quality monitoring of the Site, unless the Commissioner has reason to believe that water quality monitoring has not been performed and/or completed in accordance with the approved Water Quality Monitoring Plan. The Commissioner shall provide the Permittee with a detailed written statement of any such reason(s) to believe that water quality monitoring has not been performed and/or completed in accordance with the approved Water Quality Monitoring Plan.

7. Failure to Perform. If the Permittee fails to perform any of the terms or conditions of this Permit, the financial assurance shall be available to the Commissioner to perform such terms or conditions of this Permit provided that, prior to drawing upon any mechanism(s) for financial assurance, the Commissioner shall notify Permittee, in writing, of the alleged failure to perform and provide Permittee with a reasonable period of not less than fifteen (15) calendar days in which to remedy the alleged non-performance.

D. MISCELLANEOUS

1. The Permittee shall not operate the Facility in any manner that stores, treats, or disposes of hazardous or solid wastes or in any way manages hazardous or solid wastes other than hazardous or solid wastes that may be generated during Facility maintenance, authorized closure and/or corrective action activities. Such waste shall be managed in accordance with all applicable regulations. The Permittee shall comply with all applicable requirements of RCSA Section 22a-449(c)-102 incorporating 40 CFR Part 262 "Standards Applicable to Generators of Hazardous Waste".

Watertown Landfill
Old Baird Road
Watertown, CT

EPA ID No. CTD991289398
Permit No. DEP/HWM/CS-153-011

SECTION III

Stewardship Permit Compliance Schedule

TOWN OF WATERTOWN
WATERTOWN LANDFILL

EPA ID No. CTD991289398
Permit No. DEP/HWM/CS-153-011

SECTION III COMPLIANCE SCHEDULE

- A. All conditions set forth in Section III.A. of this Permit shall be conducted within ninety (90) calendar days of the effective date of this Permit. Otherwise, the Permittee may be subject to formal enforcement actions.
1. Retention of Consultant(s) or LEP(s). The Permittee shall designate and assign an environmental compliance expert who may be a full-time employee of the Permittee, and/or retain one or more qualified consultant(s) or LEP(s), acceptable to the Commissioner to prepare the documents required by Condition Nos. II.A.2., II.A.6., II.A.10., II.B.2., and II.B.6. and shall, by that date, notify the Commissioner in writing of the identity of such environmental compliance expert, LEP(s) and/or consultant(s). The Permittee shall assign such environmental compliance expert and/or retain such qualified consultant(s) or LEP(s), acceptable to the Commissioner, until Condition Nos. II.A.2., II.A.6., II.A.10., II.B.2., and II.B.6. of this Permit is fully complied with. The Permittee shall notify the Commissioner in writing of the identity of any environmental compliance expert(s) or consultant(s) or LEP(s) other than the one approved by the Commissioner, within thirty (10) days after assigning or retaining any environmental compliance expert(s) or consultant(s) or LEP(s) for the purpose of addressing the actions required by this Permit. The Permittee shall submit to the Commissioner a description of the assigned environmental compliance expert's and/or consultant's education, experience and training which is relevant to the work required by this Permit within ten (10) days after a request for such a description has been made. Nothing in this paragraph shall preclude the Commissioner from finding a previously acceptable environmental compliance expert(s) or consultant(s) or LEP(s) unacceptable.
- B. All conditions set forth in Section III.B. of this Permit shall be conducted within one hundred twenty (120) calendar days of the effective date of this Permit. Otherwise, the Permittee may be subject to formal enforcement actions.
1. Revised Post-Closure Care Plan. The Permittee shall submit for the Commissioner's review and written approval a revised Post-Closure Care Plan and associated cost estimate prepared in accordance with the requirements of Condition Nos. II.A.2. and II.C.1. of this Permit.
 2. Revised Water Quality Monitoring Plan. The Permittee shall submit for the Commissioner's review and written approval a revised Water Quality Monitoring Plan and associated cost estimate prepared in accordance with the requirements of Condition Nos. II.B.2. and II.C.1 of this Permit.
 3. Public Participation Plan. The Permittee shall submit for the Commissioner's review and written approval the public participation plan prepared in accordance with the requirements of Condition No. II.A.10. of this Permit.

C. All conditions set forth in Section III.C. of this permit, shall be conducted within three hundred sixty five (365) calendar days of the effective date of this permit. Otherwise, the Permittee may be subject to formal enforcement actions.

1. Quality Assurance Project Plan. The Permittee shall submit for the Commissioner's review and written approval a Quality Assurance Project Plan prepared in accordance with the requirements of Condition No. II.B.6. of this Permit.
2. Progress Reports. The Permittee shall submit a progress report for the Commissioner's review describing the actions which the Permittee has taken to date to comply with the terms and conditions of this Permit and annually thereafter until all actions required by this Permit have been completed to the Commissioner's satisfaction.

D. All conditions set forth in Section III.D. of this Permit, shall be conducted within the timeframe specified. Otherwise, the Permittee may be subject to formal enforcement actions.

1. Financial Assurance. Within one hundred fifty (150) calendar days of the Commissioner's written approval of the cost estimate submitted in accordance with Condition No. II.C.2. of this Permit, the Permittee shall establish and continually maintain financial assurance using one or more financial assurance mechanisms prescribed by the Commissioner for post-closure care inclusive of surface and groundwater monitoring of the Site or areas affected by the Site.
2. Retention of Additional or Replacement Consultant(s) or LEP(s). The Permittee shall notify the Commissioner in writing within ten (10) calendar days of retaining any additional or replacement consultant(s) or LEP(s) other than those approved in writing by the Commissioner pursuant to Condition No. III.A.1. of this Permit. Such notification shall include a description of the consultant's or LEP's education, experience and training which is relevant to the work required by this Permit.

Any consultant(s) or LEP(s) retained to perform all investigation and remediation activities in response to this Permit, must be an independent, licensed environmental professional, and must provide professional services in accordance with RCSA Section 22a-133v-1 through 8 (the Licensed Environmental Professional Regulations). Nothing in this paragraph shall preclude the Commissioner from finding a previously consultant(s) or LEP(s) unacceptable.

3. Ecological Risk Assessment. Within three (3) calendar years from the effective date of this Permit, the Permittee shall submit for the Commissioner's review and written approval an Ecological Risk Assessment prepared in accordance with the requirements of Condition No. II.A.6. of this Permit.